

1C11 Terion K2

- 1 **Aluminum Adapter**
Lightweight and durable.
- 2 **Split toe carbon glass fibre spring**
Good balance of flexibility and dynamic response with durability. The split forefoot provides control on uneven surfaces.
- 3 **Foam Base**
Cushioned heel strike and controlled rollover.



The lightweight Terion K2 1C11 provides users of low to moderate mobility with confidence at every step. The foam base allows for a cushioned heel strike, smooth rollover and safe ground contact.

A carbon glass fibre spring offers forefoot stability and supports a gait pattern characterised by flexibility and adequate dynamics. The split toe design offers moderate medio-lateral flexibility and a high degree of safety on uneven terrains.



max. 100 kg / 220 lbs
Size 22–23



max. 150 kg / 330 lbs
Size 24–25



max. 175 kg / 385 lbs
Size 26–30

Benefits

- Lightweight, stable and supportive foot design: meeting the demands of low to moderate mobility users
- Easy to fit: low profile footshell with alignment marks and easy access to alignment screws
- Universal application: low clearance and max. patient weight up to 175 kg / 385 lbs
- Robust making: durable, resistant against dust, dirt and splashwater

Technical data

Suitability	MG 1 – MG 2
Max. body weight	175 kg / 385 lbs
Sizes	22–30 cm**
Footshell	Slim shape for sizes 22–23 with 10 mm heel height Normal shape for sizes 24–30 with 10 mm heel height
Weight without footshell*	approx. 325 g
Weight with normal footshell*	approx. 573 g
System height with normal footshell*	46 mm
Clearance with normal footshell*	64 mm
Recommended knee components	3R62 Pheon, 3C60 Kenevo, 3R93

* Technical data refers to size 26 cm

** Sizes 29–30 will be available in early 2016

1C11 Terion K2

Fax order to your Ottobock representative

Customer address				Shipping address (if different from customer address)			
Customer no.				Customer no.			
Company				Company			
Street				Street			
Postal code/city				Postal code/city			
Prosthetist				Com.			

Order chart for the Terion K2 foot module including footshell

Quantity	Article no.	Side	Size	Stiffness	P /	Colour	Shape
	1C11=				- P /		
	1C11=				- P /		
	1C11=				- P /		

Side	Size [cm]	Colour	Shape
Right R	22, 23, ..., 30	Beige 4	Slim (S) (for sizes 22-23 cm)
Left L		Light brown 15	Normal (N) (for sizes 24-30 cm)

Stiffness selection chart

Body weight	Stiffness	small module	medium module	large module	X-large module*
	Sizes	22-23 cm	24-25 cm	26-28 cm	29-30 cm
Up to 55 kg / 120 lbs	Stiffness 1	Stiffness 1	Stiffness 1	Stiffness 2	
56-75 kg / 121-165 lbs	Stiffness 2	Stiffness 2	Stiffness 2	Stiffness 2	Stiffness 3
76-100 kg / 166-220 lbs	Stiffness 3	Stiffness 3	Stiffness 3	Stiffness 3	Stiffness 3
101-125 kg / 221-275 lbs			Stiffness 4	Stiffness 4	Stiffness 4
125-150 kg / 276-330 lbs			Stiffness 5	Stiffness 5	Stiffness 5
151-175 kg / 331-385 lbs				Stiffness 6	Stiffness 6

● Slim footshell available ● Normal footshell available

*Sizes 29-30 will be available in early 2016.

The scope of delivery includes the 1C11 foot module (1), the 2C12 footshell including a toe insert with a 2C13 connection cap and a Spectra sock (2).

Order example for Terion K2 with normal footshell

1C11=R26-4-P/4N



Additional components

Quantity	Article no.

Additional components

Quantity	Article no.

Date Place Signature